# Paxton10 Turret Camera Pro



### Overview

The Paxton10 camera range are designed specifically to work with the Paxton10 system. As such they offer the most simple, secure and flexible installation possible. No NVR or other hardware is required as video is processed on the camera and can be stored either on the pre-installed 256GB SD card or sent directly to any network location.

The Paxton10 camera range also features stunning low light performance, inbuilt IR, 4K resolution, PoE power and comes with Paxton's 5 Year no quibble warranty.



### **Features**

- 8MP ultra-low light sensor capable of recording at up to 4K
- 256GB high performance SD card
- IP67 rating
- Mountable on either Wall or Ceiling
- All metal construction
- 30m IR range
- 120dB Wide Dynamic Range
- 0.003 lux @ F1.6



## Specifications





#### System

| Video Streams - Main - Defaults |           |
|---------------------------------|-----------|
| High                            |           |
| Resolution                      | 4K        |
| Frames per second               | 20fps     |
| Max bit rate                    | 12288kbps |
| Medium                          |           |
| Resolution                      | 1080p     |
| Frames per second               | 20fps     |
| Max bit rate                    | 3072kbps  |
| Low                             |           |
| Resolution                      | 720p      |
| Frames per second               | 15fps     |
| Max bit rate                    | 1536kbps  |
| Substream                       |           |
| Resolution                      | 360p      |
| Frames per second               | 10fps     |
| Max bit rate                    | 512kbps   |
| Video compression               | H264      |
| Day/Night mode                  | Auto      |



#### Electrical

| Power consumption | 12VDC @ 0.48A, max 5.8W |
|-------------------|-------------------------|
|                   | PoE: Max 6.8W           |
| Operating voltage | 12v DC ±25%             |
|                   | PoE 802.3af             |



#### Communication

| ONVIF | No  |
|-------|-----|
| RTSP  | No  |
| IP    | Yes |



#### Hardware

| Dimensions   | Φ138.3mm × 126.3mm           |
|--------------|------------------------------|
| Weight       | 740g                         |
| SD Card      | 256GB Max                    |
| Video format | PAL/NTSC                     |
| Image Sensor | 1/1.8" Progressive Scan CMOS |
| Focal Length | 2.8mm                        |
| Aperture     | F1.6                         |
| FOV          | Horizontal FOV: 102°         |





|                            | Vertical FOV: 55°               |
|----------------------------|---------------------------------|
|                            | Diagonal FOV: 120°              |
| 3-Axis Adjustment (manual) | Pan: 0° to 360°, Tilt: 0° to 75 |
|                            | Rotate: 0° to 360°              |
| Material                   | Front Cover: Metal              |
| Warranty                   | Paxton 5 year                   |
| SD Card specs (included)   |                                 |
| Storage Capacity           | 256GB                           |
| Read speed                 | 95MB/s                          |
| Write speed                | 55 MB/s                         |
| Class                      | Class 10                        |
| Warranty                   | 1 year                          |
| Recommended SD Card specs  |                                 |
| Storage Capacity           | 256GB (Maximum supported)       |
| Card type                  | Micro SDXC                      |
| Class                      | UHS Class 1                     |
| Memory type                | MLC (Multi-Level cell)          |
|                            |                                 |

#### Environment

| Operating temperature | -30°c to +60°c  |
|-----------------------|-----------------|
| IP Rating             | IP67            |
| Mounting              | Wall or ceiling |