

# Smart access control and door entry systems

# **Product Selection Guide**



# Why work with us?



# Easy to quote

- Build your system one door at a time
- A range of products to suit any site requirement
- Scalable system add doors when the budget is available

# Easy to install

- Plug and play solutions that connect directly to the network
- Mix and match Net2 products

   they are all designed to work together seamlessly
- Clear instructions and colour coded wiring labels



# Easy to work with

- Industry-leading technical support
- 5-year guarantee and three step returns policy
- Free software upgrades and no multiple licence fees



# **The Paxton Installer App**

# 

# Paxton in Your Pocket – the Ultimate Installer Tool

The new Paxton Installer app gives you instant access to all the tools you need to install Paxton products. The free app, available for iOS and Android, provides quick and easy access to product specs and technical information, plus anything you could need on-site!







Get answers to your FAQs



Be the first to hear Paxton news







Dial direct to Paxton Technical Support





# Contents

5

4

### **Networked Access Control**

Our networked access control system, Net2, is administered using one or more PCs and can be monitored and managed from a central location. Our door controllers come as IP, wireless or battery powered

- 6 Wired Controllers - Net2 Plus
- Wireless Controllers Net2 Nano 7
- 8 Building Control - I/O Board
- Net2 Readers 9
- 13 Net2 Tokens
- Net2 Software
- Accessories & Other Components 16
- 18 **Demonstration Products**

### 19 **Access Control & Video Management**

Our single platform solution combining access control and video management. Paxton10 is an ideal solution to futureproof site security.

- 20 Paxton10
- 21 Integration
- 22 Cameras
- 24 Readers and Tokens
- 25 Software and Apps

### 26 **Door Entry**

Our door entry system, Entry, is an advanced PoE door entry system with built-in access control capabilities.

- 27 Entry System Components

### 32 Wireless Door Handles

PaxLock Pro is a wireless, electronic battery powered door handle. It is compatible with Net2, or works in Standalone mode.

- 33 PaxLock Pro
- 34 PaxLock Pro Components

### 36 Standalone Access Control

Our standalone access control is a non-networked system made up of readers or simple door controllers located at each door. Standalone systems are administered via the use of tokens or card packs.

- Switch2 Readers
- 41 Compact

Paxton

- 43
- Standalone Accessories 44
- **Additional Information**

### Welcome

### **This Product Selection Guide is designed** to help you to choose the right products to build up an access control system.

Paxton produce a variety of security solutions to suit different site requirements. Our one door philosophy means doors can be added as required or when budget becomes available.

### What's new?

### **PaxLock Catalogue Updates**

Following recent updates to simplify our PaxLock Pro portfolio, you can now find all our PaxLock products on page 32 of this Product Selection Guide. Every PaxLock Pro is compatible with Net2, as well as working in standalone mode.



### Paxton10

Paxton10 is a single platform solution combining access control and video management. It is a versatile solution that supports multi-site management and remote access. Scalable from 1 to 1000 doors, and 1 to 1000 cameras. Paxton10 is suitable for all building types and sizes.



- Easy to quote and configure, build a complete system with just five components
- Manage multiple sites on a single system remotely
- Web-based user interface with no configuration required
- Custom dashboards to suit any user requirements
- Built in Bluetooth<sup>®</sup> to use phone or smart watch smart credentials
- Works with Entry and PaxLock Pro

### See page 19

46



+971 800 0320506

Our networked access control system, Net2, is administered using one or more PCs and can be monitored and managed from a central location. Our door controllers come as IP, wireless or battery powered. STI.

П

a

- > Net2 is Paxton's flagship access control product
- A powerful networked system that addresses the needs of the mid-market
- Modular approach for simplicity and scalability
- Simple intuitive software
- Range of features that move beyond basic access control
- A complete solution that encompasses wireless and door entry

6

# Net2 plus Wired Controller

- A networked IP ready single door controller
- On-board TCP/IP connection allows direct connection to a network
- Can connect together with dedicated RS485 network

t k rith rk



Sales code 682-284-EX




Sales code 682-721-EX



Net2 Plus is a suitable alternative to the Net2 Entry - Control Unit, when combined with any 802.3af or 802.3at (PoE+) compliant 3rd party PoE switch. We recommend the TP Link TL-SF1006P switch which has been thoroughly tested with the Entry system.









Net2 nano 1 door controller - 12V 2A PSU, Plastic cabinet

Sales code 654-772-EX





Net2Air Bridge



### **Product tutorials**

We have a series of Net2 software tutorial videos available, they illustrate how you can get the very best from the Net2 software, and offer your customers more from their access control system.

### Watch them here:

http://paxton.info/3131

- Anti-passback
- Landlord Tenant
- Security Lockdown
- > CCTV, Fire and Intruder alarm integration
- > and more...




# **Building Control - I/O Board**

When a valid fob is presented to the reader, the I/O board can be programmed to trigger the power to lighting, heating and electrical equipment.

The Net2 I/O board is a simple, yet powerful addition to the Net2 system. It can be wired alongside a Net2 door controller, to switch power on and off to electrical equipment to save money and energy. The Net2 I/O board can control power to lifts, lighting, heating, water and airconditioning by using the Triggers and Actions application in the Net2 software. These actions can be programmed for a particular time, or in response to a specific Net2 event.

- Connect directly to a LAN/WAN only
- Enable integration with lifts, lighting, heating and more
- > 4 inputs and 4 outputs on the Net2 I/O board





Net2 I/O board

Sales code 489-710-EX



Net2 I/O board - Plastic housing



Sales code 385-710-EX

т	<u> </u>	
	1	
Dmm		
ā		
~		



Net2 I/O board - 12V 2A PSU, Plastic cabinet

Sales code 411-623-EX






**Net2 Readers** 

These readers are for use with Net2. Designed to fit in seamlessly in any environment, our wide range means you get the right choice for your site requirements.

☆ Indicates readers that have functionality to read HID<sup>™</sup> 125kHz Proximity tokens, using Genuine HID Technology<sup>™</sup> 125kHz. This is enabled using Genuine HID Technology<sup>™</sup> Proximity activation licence cards or Wiegand activation licence cards (if the reader needs to provide a Wiegand output), both sold separately (see Tokens section, pg., pg.14).







10







12



TOUCHLOCK stainless steel keypad - K50

Sales code 352-110-EX





TOUCHLOCK stainless steel keypad - K75

Sales code 372-110-EX





Proximity metal keypad, MIFARE<sup>®</sup> -KP75

Sales code 375-130-EX



### **Top 5 Markets for Access Control**

Increase your revenue by selling to a wider range of markets where access control is the ideal solution.

Net2 system can be adapted to meet a range of diverse requirements. The top five markets we recommend commissioning and installing, include:


- ▶ Healthcare
- Education
- Retail
- Leisure
- Commercial

See our latest case studies here: http://paxton.info/3060




# **Net2 Tokens**

These tokens are for use with Net2 systems.







Net2 hands free keyfob

MIFARE Classic® 4K keyfob - Pack of 10

Sales code 695-150-EX

Sales code 690-222-EX





INE

Net2 proximity self adhesive disc -Pack of 10

Sales code 660-100-EX



# Genuine HID Technology™ Licence Activation Cards

14 mr

125Khz ISO Proximity Card Licence with Genuine HID Technology™

Х

Sales code 698-574BL-EX



x1		
Sales	co	de
125-	001	-F

Genuine HID Technology™

Wiegand Activation Card with

Wiegand

Paxton

Sales code 125-201-EX



x10 Sales code 125-010-EX

Genuine HID Technology™ 125kHz Proximity activation licence cards and Wiegand activation licence cards are for use with Net2 readers indicated with the symbol ★ (from pg. 9) to activate functionality to read HID<sup>™</sup> 125kHz Proximity or HID<sup>™</sup> Wiegand tokens.





### **Net2 Software**

**Net2 Pro** has all the capabilities of Net2 Lite software with advanced features like timesheet and timeline, Landlord Tenant, security lockdown and anti-passback. Net2 Pro also includes a number of new features to support COVID-secure sites.

**Net2 Lite** contains all of the access control features to manage access privileges and report on users. Other features include multiple workstations, CCTV and intruder alarm integration, site graphics, timesheet and timeline, and card designer.

Feature	Lite	Pro
Multiple clients	•	•
Free upgrades	•	•
CCTV integration	•	•
Site graphics	•	•
Triggers and actions	•	•
Intruder alarm integration*	•	•
Entry compatible	•	•
Biometric integration	•	•
Timesheet & Timeline*	•	•
Card designer	•	•
Landlord Tenant		•
Roll call and muster reporting*		•
Fire alarm integration*		•
Anti-passback*		•
Security lockdown*		•
Multi-zone intruder alarm integration*		•
Custom days*		•
Areas		•
Customisable welcome page		•
Paxton Connect app**		•
Net2Online***		•
Checkpoint Control		•
Occupancy Management		•

\* Not available with wireless products

\*\* Paxton Connect app only works with Net2 Pro v6.00 or above \*\*\* Net2Online only works with Net2 Pro v6.01 or above

Watch our tutorial videos and learn how you can get the very best from the Net2 software and offer your customers more from their access control system.

### https://paxton.info/3131





### **Net2Online and Paxton Connect**

Easy access to your Net2 system wherever you are – any location, any device. Flexible site management via a browser with Net2Online and from the Paxton Connect app.

### Features include:

- User admin
- Viewing reports and events

Free with Net2 Pro

Managing roll call reportsOpen door functionality

### Download the app now:



Find out more: paxton.info/4019

16

# **Net2 Accessories & Other Components**

Sales code 7 m m 350-910-EX Net2 desktop reader, USB Paxton 12V 1A DC power supply -Plastic housing Sales code Sales code Ĩ I ₫ 514-326-EX 998-241-EX Proximity hands free interface -Net2 USB/RS485 converter -Plastic housing Plastic housing Sales code Sales code 477-222-EX 455-482-EX 2A/12V DC power supply, no Paxton reader port connector -Pack of 5 housing Sales code Sales code 857-090-EX 325-030-EX - 41 mm Paxton 12V 2A DC power supply -Proximity reader clip on cover 50mm - in and out Plastic cabinet

> Sales code 857-250-EX












Net2 desktop reader - Proximity

and magstripe



Sales code 310-300-EX

Net2 Accessories & Other Components





Core - 100m

Sales code 166-110-EX



capacity

Sales code 746-003-EX



# Demo case Net2 plus

The case Includes a Net2 plus, Net2 Pro software, Net2 desktop reader and a sample pack of Net2 demonstration tokens.

Sales code 541-427-EX

\* one demo case per customer





Paxton10 is a single platform solution combining access control and video management. Scalable from 1 to 1000 doors, and 1 to 1000 cameras, Paxton10 is a versatile solution suitable for all building types and sizes.


- Easy to quote and configure, build a complete system with just five components
- Manage multiple sites on a single system from anywhere with an internet connection
- Web-based user interface with no configuration required
- Paxton 10 PRO and CORE cameras give you flexibility and choice; the system is also compatible with third-party IP video cameras
- Custom dashboards to suit any user requirements
- Built in **Bluetooth**<sup>®</sup> to use phone or smartwatch smart credentials.
- ▶ Works seemlessly with Entry and PaxLock Pro

Paxton 10

20

### Paxton10 Access control. Video management. One system

- Single door controller architecture for ease of install and flexibility
- Feature rich video management solution embedded in the cameras, no third-party integration required
- Built-in Bluetooth<sup>®</sup> wireless technology, supports free of charge smart credentials
- Fully compatible with Entry, our award-winning video and audio door entry solution
- Fully compatible with PaxLock, our wireless door handle range
- Distributed intelligence to increase reliability
- Powerful multiformat readers and keypad, reads Paxton, MIFARE<sup>®</sup>, HID<sup>™</sup> Prox, EM, FeliCa, NFC and DESFire token technology





Paxton10 Door Controller

Sales code 010-403-EX





Paxton10 Door Controller - Plastic Enclosure

Sales code 010-315-EX

-200 mm	
1	



Paxton10 Door Controller - 12V 2A PSU

Sales code 010-751-EX



236 mr



Paxton10 Video Controller - 12V 4A PSU

Sales code 010-187-EX





Paxton10 Door Controller - PoE

Sales code 010-052-EX



Paxton10 Video Controller - PoE









22

# Paxton10 Cameras

Paxton10 includes Paxton's own video management solution and range of CORE & PRO cameras, providing a single point of management for system users. A Paxton10 system can manage up to 1000 cameras including integration with third party IP cameras

- Industry leading low light performance (0.003 Lux)
- IP67 rated for internal and external use\*
- IK10 rated robust metal construction\*\*
- Edge and centralised recording capability
- Simple configuration

\*010-924 is IP66 rated

\*\*010-102 and 010-924 only

Paxton10 cameras come with a 256GB SD card (PRO Series) or 64GB SD card (CORE Series) as standard. Please note, the SD card is a consumable item and is therefore excluded from the guarantee.



### NEW

# High performance PRO series:

- 256GB surveillance quality on camera storage
- ► 8MP 4K resolution for crystal clear recording




### NEW

# High value CORE series:

- 64GB of in-built edge storage
- 4MP resolution







Sales code 010-445-EX



23



Paxton10 Keypad Reader

Sales code 010-824-EX





Paxton10 Keyfobs -Pack of 10

University of the second secon



Paxton10 Vandal Resistant Reader

Sales code 010-254-EX





Paxton10 Bluetooth® Hands Free Keyfob

Sales code 010-690-EX

Paxton10 Cards-





Paxton10 Slimline Reader

Sales code 010-296-EX





Sales code 010-427-EX

—55 mm —	

Paxton







Paxton Connect

Paxton Key App

### Paxton10 Software A web-based user interface that is

### intuitive and easy to use.

Accessible from any device with an internet connection, the interface makes remote site management simple. The software comes as a native part of the system with a Paxton10 server. It has a range of intelligent features to maximise efficiency and optimise the combined access and video management solution.

- Web-based software no installation, plug-ins or upgrading required
- Free of charge simple online updates with no ongoing charges
- Suitable for touchscreen and desktop devices
- Optimised for use on PCs and tablets
- Low battery alerts, easy to monitor back up battery state
- Flexible and secure remote access

### Features:

**Dashboards** - Customised dashboards to suit any user requirements

**Reports** - Powerful reporting engine where all system events and videos can be reviewed

Site plans - For the visual management of the system

**Tutorial wizards** - Support new and existing users to make full use of the software

**People** - Manage user permissions, credentials and information

**Rules** - Set permissions, time profiles, triggers and actions and much more

Devices - Configure and manage the devices in a building

# Paxton10 Apps

### **Paxton Connect** Flexible site management

The Paxton Connect app provides easy and flexible site management for Paxton10. Containing easy to use features in one smart user interface, Paxton Connect enables you and your customers to manage multiple sites remotely from a smartphone.

### Features:

**People** - Manage user permission, credentials and information

**Reports** - Access all system reports from your smart device or tablet

Devices - Configure and manage all devices on site

**Dashboards** - Access custom dashboards for personalised system overview

# **Paxton Key**

### Utilise smart devices as access tokens

The Paxton Key app allows system users to make use of their smartphone, smartwatch or tablet in place of traditional tokens. These are called smart credentials and can be issued free of charge. Utilising the built-in Bluetooth® wireless technology in Paxton10 readers, the smart device can securely communicate with the Paxton10 system to grant or deny access. Paxton Key also enables the user to carry out predefined building management functionality – such as setting the intruder alarm.

Download the free apps from the App Store or Google Play

App Store




Entry is a door entry system that works standalone or alongside Net2 access control, combining door entry with key features of Net2. Entry is a scalable solution, allowing expansion of up to a hundred panels and a thousand monitors. Josh Wilson

10 Kyle Ferguson

Kim Rutherford Peter Clark

Paxton

- > Just 3 components monitor, panel and door controller
- Intruder alarm integration set the alarm in Net2 from the Entry panel for extra convenience
- Premium, standard, audio, and vandal resistant solutions available
- > Pan/tilt camera functionality to capture an angled view
- Low light sensitivity camera ideal for use day or night
- SIP compatibility the door can be answered from smartphone, tablet or PC
- > Add a secondary IP camera for higher security sites



# Entry

### A smart, simple door entry system.

- Panels available in three variants: the Entry Touch panel with an advanced 7-inch colour touch screen, Entry Standard panel in anthracite grey and the Entry VR panel in super durable stainless steel
- All variants available in flush, surface and rain-hood versions - suitable for a range of environments
- Three monitors available, including premium, standard and audio, to create a custom solution for any site
- Personalise the Entry Touch panel, Premium monitor and Standard monitor with multiple theme options and contact images for quick visual recognition
- > Video voicemail, enables visitors to leave a video message
- > Add a secondary IP camera for higher security sites
- Reads Paxton and MIFARE® token technology



☆ Indicates readers that have functionality to read HID™ 125kHz Proximity when enabled using Genuine HID Technology™ 125kHz. Proximity activation licence cards sold separately (see Tokens section, pg.14).





Sales code 337-610-EX

-312 mm	
	(i.en)
	127 mm

★ +971 800 0320506 Support@paxtonaccess.ae

# 

Sales code 337-520-EX

Sales code

Sales code

337-510-EX

337-500-EX





Entry - Standard panel, surface mount

Sales code 337-420-EX

294 mm	<b>□</b> • • • • • • • • • • • • •
T	00
	109 mm





Entry - VR panel, surface mount





Entry - Standard panel, flush mount

Sales code 337-400-EX





⊁

Entry - VR panel, surface mount with rain hood





Entry - Standard panel, surface mount with rain hood

Sales code 337-410-EX



Entry Premium monitor



	т	· · ·
	 160 mm.	
	-16	
Sales code		
337-290-EX	T	
JJ/ ZJO LA		204 mm

Entry Premium monitor - with handset



Sales code 337-292-EX \_\_\_\_\_\_251 mm




Entry desktop stand

Sales code 337-294-EX







# **Entry Standard Monitor**

The latest addition to our door entry range.

Introducing the next generation standard monitor, a versatile, feature rich and cost-effective solution.

- Excellent audio quality, full-duplex voice communication & easy read, high contrast screen
- Personalised experience with 14 theme designs. Premium user interface with call & event log
- Action buttons, call snapshot and compatibility with concierge management\*
- Available with or without a handset. Universal wall or desk mounting
- Quick and easy installation, providing a true plug and play solution



\*When used with the Entry Premium monitor. The standard monitor cannot function as the concierge monitor.

30

# **Demo Cases**

Demo cases contain everything you need to demonstrate a one door system to your customers.

Additionally, show your customers the benefits of our simple video door entry solution in just two minutes, with the Entry video. Watch it here: http://paxton.info/3699

☆ Indicates readers that have functionality to read HID™ 125kHz Proximity when enabled using Genuine HID Technology™ 125kHz. Proximity activation licence cards sold separately (see Tokens section, pg.14).



# Demo case Entry - Touch panel

The case includes a Entry Touch panel, Entry Premium monitor and a sample pack of Net2 demonstration tokens.

Sales code 337-635-EX



# Demo case **\*** Entry - Standard panel


The case includes a Entry Standard panel, Entry Standard monitor and a sample pack of Net2 demonstration tokens.

Sales code 337-430-EX





31



# Entry now works Standalone

Our video door entry system now works in standalone mode for a quick, simple installation and easy user management with our standard enrolment and shadow cards. Offer a flexible system that can grow in line with your customers' requirements and be upgraded to an online Net2 solution, with no hidden costs.

- Enable offline token-based access control on any Entry site
- Simple user management utilising Paxton's standalone functionality
- Upgrade existing standalone sites with video door entry for extra convenience
- Combine with other Paxton standalone products to build an entire easy-to-use system supporting the same tokens across the site
- See Standalone card packs on page 43

### Watch the Entry Video



Show your customers the benefits of our simple video door entry solution in just two minutes, with the Entry video.

- Featuring the whole Entry range, including the new touch panel and premium monitor
- > Just 3 components that auto-detect on set up
- Discover a scalable solution that suits a variety of locations

Watch it here: http://paxton.info/3699

# Wireless Door Handles

PaxLock Pro is compatible with Net2, or works in Standalone mode. PaxLock Pro is a wireless, electronic, battery powered door handle. The design is compatible with any DIN standard lock for a quick and simple installation.

- Flexible upgrade path from standalone to networked, allowing your system to grow to suit your needs
- Internal and external variants available
- IK10 impact rated, external variant is also IP55 rated (reader side only)

Paxton


- Supports multi-token technology, including Paxton, MIFARE®, Bluetooth®\* and HID®Prox
- EN179 Certified for emergency exits and FD30 and FD60 Certified for fire doors

\*Bluetooth<sup>®</sup> compatible with Paxton10 only

33

### **PaxLock Pro Wireless Controller**

- Works standalone, or with Net2 •
- Simple upgrade path from standalone to networked
- Dual-frequency proximity reader
- EN179 Certified for • emergency exits
- FD30 and FD60 certified for fire doors
- Compatible with DIN standard locks



Example PaxLock Pro with a Net2 system



### PaxLock Pro - Euro, Internal, White

Sales code 900-600WT-EX

### PaxLock Pro - Euro, Internal, Black

Sales code 900-600BL-EX

### PaxLock Pro - Euro, External, White

Sales code 900-610WT-EX

PaxLock Pro - Euro, External, Black

Sales code 900-610BL-EX



PaxLock Pro - Euro DIN18251 door installation jig

Sales code 900-080-EX

Please note: It is recommended that PaxLock Pro is installed with a lockset with key override to ensure access can be gained in the rare event of a unit failure.





34

# **PaxLock Pro Components**


These products may be used with PaxLock Pro to aid installation on a variety of doors.



PaxLock - Mortice sash lock, 72mm centre

Sales code 901-010-EX







Net2Air Bridge

Sales code 477-600-EX







Cover plate kit - Euro blank

Sales code 900-051-EX





Cover plate kit - Euro profile, 90-92mm

Sales code 900-054-EX

Ī		
-325 mm-		Ц
	0	0
	<b>−</b> 74 −	<b>⊷</b> 74 ⊣



Cover plate kit - Euro profile, 70-72mm

Sales code 900-053-EX



# Demo case PaxLock Pro

The demo case comes with everything you need to show your customers the PaxLock Pro in action.

- Demo Stand with EN179 escape sash lock
- White External PaxLock Pro
- Standalone Token pack (x2 Tokens)
- Batteries




Sales code 900-690-EX

# Standalone Access Control

Standalone access control is the simplest way to secure and control access through doors around your building. If you're looking to step up security, protect your staff and assets and save money, then Standalone access control is for you. 1

- A non-networked access control solution
- Simple and unique card management system
- Internal (Compact)/external (Switch2)
- Suitable for small to medium sized premises, or any site looking to secure a small number of doors
- Entry and PaxLock Pro now work in standalone mode





### Entry

Our video door entry system works in standalone mode for a quick, simple installation and easy user management with our standard enrolment and shadow cards. Offer a flexible system that can grow in line with your customers' requirements and be upgraded to work with Net2 or Paxton10, with no hidden costs.

#### See page 31 for more information

### PaxLock Pro


PaxLock Pro is our wireless access control solution in a battery operated door handle. It can be installed in standalone mode for use on sites not requiring the additional functionality of an online system. It's flexible upgrade path from standalone to networked creates a solution which can evolve with the needs of your customer.

#### See page 32 for more information

♂ www.paxton-access.com/ae

### Switch2 Readers

These readers are for use with Switch2. Designed to fit in seamlessly in any environment, our wide range means you get the right choice for your site requirements.





40



TOUCHLOCK vandal resistant metal keypad

Sales code 521-715-EX





352-110-EX

Proximity keypad - KP50 Sales code 355-110-EX



Proximity keypad - KP75 Sales code 375-110-EX

_	
-143 mm	00000
	—75 mm —

Proximity keypad - KP75, Screw connector Sales code 375-120-EX

	000000000000000000000000000000000000000
T	0
	-75 mm-

	TOUCHLOCK keypad - K50			TOUCHLOCK keypad - K75	
	Sales code	80000000000000000000000000000000000000		Sales code 371-110-EX	mu tr −75 mm −1
669 669 669	TOUCHLOCK stainless steel keypad - K50		00000 0000 0000	TOUCHLOCK stainless st - K75	eel keypad
	Sales code		000	Sales code	143 mm




50 mm

🙏 +971 800 0320506

372-110-EX

1—75 mm —





Compact proximity reader - P38 Sales code 333-210-EX	
Compact proximity reader - P50 Sales code 353-210-EX	U 01 01 01 01 01 01 01 01 01 01 01 01 01
Compact proximity reader - P75 Sales code 373-210-EX	F1 F1 F1 F1 F1 F1 F1 F1 F1 F1



Compact proximity vandal proof reader

Sales code 326-735-EX



Sales code

351-210-EX



42

Compact TOUCHLOCK keypad -K50





Compact TOUCHLOCK keypad -K75







Compact TOUCHLOCK stainless steel keypad - K50





00000

50 mm



Compact TOUCHLOCK stainless steel keypad - K75

Sales code 372-210-EX

Sales code

371-210-EX





Compact vandal resistant metal keypad


Sales code 521-836-EX





### **Standalone Tokens**

These tokens are for use with Switch2 and Compact systems..



Sales code 860-010G-EX



44

### **Standalone Accessories**

These accessories are for use with Switch2 and Compact systems.



Sales code 857-250-EX



& www.paxton-access.com/ae





Sales code 166-110-EX

Sales code

325-010-EX



Paxton reader port connector -Pack of 5

Sales code

LA D D D D D D A 41 mm



Compact relay module - Pack of 5

22 mm



Proximity hands free card holders -Suckers, Pack of 5

Sales code 696-100-EX

325-030-EX



Proximity ISO card holder - Clear, Pack of 5 Sales code 696-400-EX





#### **Free installer training**

We offer practical training for installers for our complete range of networked, standalone and door entry products. Sessions are designed to provide you with the essential knowledge needed to install Paxton products quickly and efficiently.

- Ensure accurate installation
- Reduce time on site
- Courses are free of charge
- Materials and equipment provided

For more information and to book a session, go to **http://paxton.info/3062**.



#### Industry leading technical support

Call Paxton and you will be put straight through to our expert support team.

Call: +971 800 0320506 E-mail: support@paxtonaccess.ae Skype: paxton.support



#### **Sales literature**

We offer an extensive range of brochures and sales guides to support you every step of the way, from sales to specification. All documentation is available to download from our website at **http://paxton.info/2251**.

#### **Case studies**

Find out how the Net2 system can be adapted to meet a range of diverse requirements by reading our latest case studies. We have a range of examples covering education, healthcare, retail, leisure, commercial and public buildings.

See our latest case studies here: http://paxton.info/3060

#### **Net2 Integration**

As UK market leaders in access control, Paxton want to ensure

that we are providing the most sophisticated solutions available. We do this by working with quality manufacturers to provide the best of breed solutions and making them available to you. You can see a map of our Net2 integration partners at **http://paxton.info/2491**.

'axton

Approved Integration

#### Newsletter sign up

The Paxton Installer is your regular newsletter, containing the latest news, product information and updates from us. Your copy of the Paxton Installer will arrive in your inbox full of useful information that will make your job easier and help you to win more business.

Sign up now: http://paxton.info/3063



### Additional Information

#### Paxton 5 year guarantee and hasslefree returns policy

We offer a five year guarantee on all our products\*.

All you have to do is return your damaged Paxton product to your local distributor.

We want to make life as easy as possible for installers of Paxton products. Our five year warranty and hassle-free returns policy helps us to do this successfully.



\*Unless otherwise stated

**Notes** 





#### **Product Selection Guide**

**L** +971 800 0320506

support@paxtonaccess.ae

The Bluetooth® word mark and logos are registered trademarks owned by the Bluetooth SIG, Inc. and any use of such marks by Paxton Access Ltd. is under license. MIFARE® is a registered trademark of NXP B.V. and is used under license. The Genuine HID Technology logo is a trademark of HID Global Corporation/ASSA ABLOY AB. Used with permission. All information and specifications correct at the point of publication, but may be subject to change without notice.



Please recycle responsibly. This guide can be viewed digitally on our website.