

Confirmation Letter



UL CUSTOMER

PAXTON ACCESS LTD
PAXTON HOUSE
BRIGHTON, BN1 9HU United Kingdom

UL CUSTOMER FILE #

E478890

CATEGORY

Information Technology Equipment Including Electrical Business Equipment |
NWGQ

January 11, 2021

As of the above date, UL LLC confirms that PAXTON ACCESS LTD is the party associated with UL File # E478890 that appears in the UL Product IQ platform. Public information contained in UL File # E478890 can be viewed using the following link:

<https://iq.ulprospector.com/en/profile?e=92846>

The appearance of a company's name or a specific product/component designation in the UL Product IQ platform does not in itself mean that product or component so specified or identified is subject to UL's Surveillance Program.

The manufacturer's products are not covered under UL's Surveillance Program unless they bear the authorized UL Mark. Therefore, only those products bearing the appropriate authorized UL Mark or UL Recognized Component Mark, the authorized company name, tradename, trademark and product designation shall be considered as being covered by UL's Listing, Classification, or Recognition Service.

If you have questions regarding this letter, please contact the UL Customer Experience Center at cec@ul.com.

Sincerely,

Leadership & Governance Team
UL Product IQ

UL LLC

333 Pfingsten Road, Northbrook, IL 60062-2096 USA

T: 847.272.8800 / F: 847.272.8129 / W: ul.com



NWGQ.E478890 - Information Technology Equipment Including Electrical Business Equipment

Information Technology Equipment Including Electrical Business Equipment

[See General Information for Information Technology Equipment Including Electrical Business Equipment](#)

PAXTON ACCESS LTD

E478890

PAXTON HOUSE
HOME FARM ROAD
BRIGHTON, BN1 9HU UNITED KINGDOM

Access Control Reader, Model(s) 010-254

Control Access Reader, Model(s) 010-296, 010-721

Entry Panel, "Paxton", Model(s) 337-400, 337-410, 337-420, 337-500, 337-510, 337-520

Entry Panel, Model(s) 337-600, 337-610, 337-620

Wireless Bridge, "Paxton", Model(s) 010-687, 010-592, 477-500, 477-600

Last Updated on 2019-12-16

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2021 UL LLC"

NWGQ.GuidelInfo - Information Technology Equipment Including Electrical Business Equipment

Information Technology Equipment Including Electrical Business Equipment

Guide Information for Electrical Equipment for Use in Ordinary Locations

USE

This category covers equipment, appliances and systems rated 600 V or less normally found in offices and other business establishments, residences (homes), educational facilities, and other similar environments classified as ordinary locations.

This equipment has been investigated for installation in information technology equipment (computer) rooms as defined in NFPA 75, "Fire Protection of Information Technology Equipment," and Article 645 of NFPA 70, "National Electrical Code" (NEC), unless the equipment is otherwise identified by a marking or instruction.

EQUIPMENT TYPES

Equipment may be electronic or electromechanical in design or a combination thereof.

Various groupings of equipment are covered under this category, such as:

Displays: Flat-panel displays, LCD displays, monitors, plasma displays.

Information processing equipment: Central processing units (CPUs), hand-held computers (personal assistants), laptop computers, notebook computers, pen-based computers, personal computers, point-of-sale terminals, scanners (including portable barcode scanners), servers, work stations. **Accessories:** Docking stations, flash memory cards, keyboards, mouse, PCMCIA-memory-modem cards, port replicators, trackballs.

Information storage equipment: Automated information storage equipment, CD-ROM/RW drives, disk drives, DVD drives, tape drives, optical drives.

Telecommunication equipment: Cellular site equipment, cordless telephone sets, facsimile machines, ISDN systems and telephones, modems, key telephone systems, powerline communication equipment, private automated branch exchanges (PABXs), telephone answering machines, telephone sets, voicemail systems, IP telephones, IP systems, wireless telephony systems.

Office appliances: Adding machines, bursters, calculators, collators, dictation and transcribing machines, electric typewriters, erasers, folding, embossing and sealing machines, label printers, microfilm readers, motor-operated file cabinets, overhead projectors, paper cutters, paper shredders, pencil sharpeners, sorters, stackers, staplers.

Printers/Reproduction equipment: Copiers, duplicating machines, microfilm printers, mimeograph machines, plotters, printers.

Mailing, banking and currency-handling equipment: Cash registers, coin counters, feeders and dispensers, accounting machines, check-writing-, -assigning, -dating, -inserting, -mailing, -numbering and -stamping machines, point-of-sale terminals.

Multimedia equipment/accessories: Cable modems, digital cameras, DLP projectors, LCD projectors, microphones, set-top boxes, speakers, video conferencing systems.

Network equipment: Baluns, bridges, fiber optic transceivers, hubs, nodes, Power over Ethernet (PoE) equipment (e.g., power source equipment [PSE] and powered devices [PD]), repeaters, routers, switches, transceivers.

Wireless (RF, infrared) transceiving equipment: RF modems, hand-held computers with integral transceivers.

Static-neutralizing equipment: Power units with discharge bars used with or within copiers, collators, film-plate processors, digital printers, duplicating machines and similar equipment.

Interconnecting cable assemblies: Cable assemblies intended for use beneath raised floors of computer rooms. These assemblies are also covered under Computer Interconnection Cable Assemblies ([DVPJ](#)).

Included within the above groupings is equipment which is battery powered, either by standard-size consumer-replaceable batteries (e.g., AA, C, D), or nonstandard sizes specified by manufacturer, type and ratings.

This category also covers power distribution units (PDUs) and computer power centers investigated as part of a computer system for use exclusively in information technology equipment (computer) rooms in accordance with Article 645 of the NEC. This equipment is connected to branch circuits unless otherwise indicated in the manufacturer's installation instructions, and it distributes power to other units in the computer system by means of interconnecting cable assemblies complying with one or more of the wiring methods outlined in Article 645 of the NEC. Many of these units require special installation, such as a separate transformer, special grounding methods, motor-generator equipment, air conditioning, etc. Such features are covered in the manufacturer's installation instructions.

INSTALLATION

Some equipment has been investigated for installation in a restricted access location, such as a dedicated equipment room or telecommunication equipment closet, where access is limited to trained service personnel. Such equipment is provided with a marking or installation instructions that state "To be installed only in a Restricted Access Location," or similar wording. If also intended for installation over a concrete or noncombustible surface, such equipment will also be marked "Suitable for mounting on concrete or other noncombustible surface only," or similar wording.

Equipment installed in a restricted access location generally receives power from a centralized d.c. power source. If field wiring terminals are not contained in an internal compartment, both protection of exposed wiring terminals and wiring methods used for such equipment are intended to be provided in accordance with (1) markings on or instructions with the equipment, and (2) the provisions of Sections 110.26 and 110.27 of the NEC.

Products such as LAN transceivers and baluns investigated for use in air-handling spaces are marked "Suitable for Use in Other Environmental Air Space in Accordance with Section 300.22, (C) of the National Electrical Code" or "Suitable for Use in Air Handling Spaces." These products have been additionally investigated to [UL 2043](#), "Fire Test for Heat and Visible Smoke Release for Discrete Products and their Accessories Installed in Air-Handling Spaces." Products that bear the marking are suitable for installation in accordance with Section 300 of the NEC, Chapter 4 of NFPA 90A, "Installation of Air-Conditioning and Ventilating Systems," Section 602 of the "International Mechanical Code," and Section 602 of the "Uniform Mechanical Code."

When certified equipment intended for use with a detachable power-supply cord is not provided with such a cord, a cord suitable for connection of the equipment to the branch circuit should be separately provided.

Equipment intended to be installed in closed and multiunit standard racks and cabinets has been determined to be suitable for use in ambient temperatures not exceeding the manufacturer's recommended ambient temperature as specified in the equipment's installation instructions.

Equipment identified with an Enclosure Type designation, or as "Raintight" or "Rainproof," is intended for use as indicated in Electrical Equipment for Use in Ordinary Locations ([AALZ](#)).

ACCESSORIES

Field-installed accessories to certified equipment are provided with suitable markings and/or instructions detailing proper installation or assembly of the accessory with either a specific or generic certified equipment specified in the markings or instructions.

OUTPUT CONNECTORS/CIRCUITS

Class 2 circuits are marked "Class 2." All other output circuits, including those associated with the Universal Serial Bus (USB), IEEE 1394 bus and PS/2 connectors are limited-power circuits supplied by [UL 60950-1](#) limited-power sources, unless:

- the circuits are clearly telecommunication circuits (e.g., RJ series modular jack, 50-pin commercial connectors with insulation-piercing terminals). These circuits are limited to telecommunication network voltages (TNV) and are suitable for connection to the telecommunication network and distribution wiring in accordance with Article 800 of the NEC; or

- the circuits are marked, or otherwise identified in the installation instructions with the type of circuit (e.g., Class 1), intended cable type (e.g., DP-2) or specific equipment intended to be interconnected (e.g., mfr/model printer).

Limited-power circuits of certified ITE supplied by limited-power sources are recognized by Section 725.41(A)(4) of the NEC as being equivalent to Class 2 circuits for purposes of applying Article 725 Class 2 wiring requirements.

SPECIAL CONSIDERATIONS

The ability or reliability of these products to perform their intended function in a particular application has not been investigated.

The efficacy, reliability, interoperability and functionality of equipment associated with life safety technology are covered by UL Security and/or Signaling Certification Services. For example, equipment investigated with respect to security or burglary resistance is covered under Access Control System Units ([ALVY](#)), Antitheft Alarms and Devices ([ATJT](#)) and other associated categories. Card readers, badge readers and similar identification equipment covered under this category has not been investigated with respect to security.

The burglary and theft protection features of coin-operated equipment, banking and currency-handling equipment, cash registers, coin counters and the like have not been investigated.

Automated teller machines (ATMs) investigated for security and burglary resistance are covered under Automated Teller Systems (TPEU). ATMs that have not been investigated for security protection are covered under Bank Equipment (BALT).

Equipment intended for use on commercial transport aircraft and passenger areas of commercial cargo aircraft, as specified in the individual certifications, are investigated within the scope of the standard(s) noted under **REQUIREMENTS** below. The investigation addresses use in unclassified locations as well as on aircraft, and specifically takes into account appropriate operating parameters and installation considerations including, as applicable, (a) electrical clearances based on a cabin pressurization of approximately 8000 ft (2400 m), (b) aircraft cabin temperature per the manufacturer's specification, (c) interface with the aircraft electrical infrastructure using a method that the aircraft has been designed to accommodate (such as by common electrical attachment plug and outlet configurations, special-purpose mated connections, standard communication and data ports), and (d) the equipment either being such size as to be covered under the existing airline regulations for stowage of portable electronic devices (such as laptops) during takeoff and landing, or having provision for stowage by airline personnel during takeoff and landing so as to not introduce a risk of injury due to kinetic energy (such as service-cart-mounted devices). The investigation does not take into account governmental regulations for airworthiness and therefore Authorities Having Jurisdiction should be consulted for the use on aircraft.

PHYSIOLOGICAL EFFECTS

The physiological effects of chemical substances used in or with this equipment have not been investigated.

The long-term characteristics or the possible physiological effects of radio frequency (RF) electromagnetic fields associated with this equipment have not been investigated.

For equipment establishing a virtual environment (virtual reality) as a function, the physiological effects of cyber sickness, motion sickness and similar side effects have not been investigated. Use of the equipment, including related precautions, if any, is intended to be in accordance with the manufacturer's instructions.

CATEGORY IDENTIFIER

One of the following category identifiers appears on the product:

60950-1

60950-21

60950-22

60950-23

ANSI/UL 60950-1

ANSI/UL 60950-21

ANSI/UL 60950-22

ANSI/UL 60950-23

Copier

Cordless Telephone

Info. Tech. Equip.

Information Technology Equipment

I.T.E.

ITE

Modem

NWGQ

Paper Shredder

Personal Computer

UL 1950

UL 60950

UL 60950-1

Other category identifiers may be used as shown in the individual certifications.

The category identifier for field-installed accessories includes the word "Accessory."

RELATED EQUIPMENT

Power distribution centers for communications equipment are covered under Power Distribution Centers for Communications Equipment ([QPQY](#)).

Uninterruptible power-supply (UPS) equipment intended for indoor and outdoor use that may be stationary or fixed is covered under Uninterruptible Power-supply Equipment ([YEDU](#)).

Automatic transfer switches intended for use in optional standby systems in accordance with Article 702 of the NEC are covered under Automatic Transfer Switches for use in Optional Standby Systems ([WPXT](#)).

Power supplies for information technology and telecommunication equipment are covered under Power Supplies, Information Technology Equipment Including Electrical Business Equipment ([QQGQ](#)) and Power Supplies, Telephone ([QQJE](#)).

Secondary (rechargeable) battery packs for use in transportable equipment are covered under Batteries, Household and Commercial ([BBFS](#)).

Static neutralizing equipment is covered under Static Neutralizing Equipment ([VWWZ](#)). High-voltage parts that may be accessible after installation have been investigated as limited-current circuits.

Air conditioning equipment for use in computer rooms or other areas in which information technology equipment is installed is covered under Air Conditioners, Special Purpose ([ACVS](#)) and Heating and Cooling Equipment ([LZFE](#)).

Fire-resistant materials, sprinklers, extinguishers and associated equipment intended for use in computer rooms is covered under Carbon Dioxide Extinguishers ([FXHV](#)) and Halogenated Agent Extinguishing System Units ([GLER](#)).

Filing cabinets covered under this category have not been investigated with respect to fire resistance or security. Fire-resistant filing cabinets are covered under Record Protection Equipment ([RYPH](#)).

Smoke detectors are covered under Smoke Detectors for Fire Alarm Systems ([UROX](#)); alarm equipment is covered under Smoke Alarms ([UTGT](#)).

Other equipment associated with information technology/processing but not intended for use in offices, residences or computer rooms is covered under Graphics Arts Equipment ([KCQT](#)), Inspection and Measuring Electrical Equipment ([NYOK](#)), Teaching and Instruction Equipment ([WYFW](#)), Laboratory Use Electrical Equipment ([OGTK](#)), Medical Equipment ([PIDF](#)), Marking and Coding Equipment, Electronic ([PGBE](#)) and Photographic Equipment ([QINT](#)). Other multimedia equipment and accessories are covered under Audio/Video Apparatus ([AZSQ](#)) and Audio and Video Equipment ([AZUJ](#)). Other telecommunication appliances and equipment is covered under Telephone Appliances and Equipment ([WYQQ](#)).

Modular assemblies of telecommunication equipment (e.g., racks, circuit card assemblies) designed for field installation by trained service personnel are covered under Custom-built Telecommunication Equipment ([WYKM](#)).

Equipment intended to be installed on the network side of the subscriber demarcation point and installed and maintained by telephone companies, CATV companies and similar network communication companies, is covered under Communication Service Equipment ([DUZO](#)).

Cabinet, enclosure and rack/frame systems that are not complete information technology (IT) or telecommunication equipment, but include components and assemblies that are intended to power, protect, heat, cool of otherwise support IT or telecommunication equipment that will be installed at a later time are covered under Information Technology and Telecommunication Equipment Cabinets, Enclosures and Racks ([NWIN](#)).

Power distribution products intended for indoor use as relocatable multiple-outlet extensions of a single branch circuit not for exclusive use of ITE and consisting of an attachment plug and a single length of flexible cord terminated in a single enclosure in which one or more receptacles are mounted are covered under Relocatable Power Taps ([XBYS](#)).

Power distribution products intended for installation in modular furniture are covered under Furniture Power Distribution Units ([IYNC](#)).

Equipment intended to protect against mains transients is covered under Surge-protective Devices ([VZCA](#)).

ADDITIONAL INFORMATION

For additional information, see Electrical Equipment for Use in Ordinary Locations ([AALZ](#)).

REQUIREMENTS

The basic standard used to investigate products in this category is [UL 60950-1](#), "Information Technology Equipment - Safety - Part 1: General Requirements," in conjunction with [UL 60950-21](#), "Information Technology Equipment - Safety - Part 21: Remote Power Feeding," [UL 60950-22](#), "Information Technology Equipment - Safety - Part 22: Equipment to be Installed Outdoors," and/or [UL 60950-23](#), "Information Technology Equipment - Safety - Part 23: Large Data Storage Equipment."

UL MARK

The Certification Mark of UL on the product, or the UL symbol on the product and the Certification Mark on the smallest unit container in which the product is packaged is the only method provided by UL to identify products manufactured under its Certification and Follow-Up Service. The [Certification Mark](#) for these products includes the UL symbol, the words "CERTIFIED" and "SAFETY," the geographic identifier(s), and a file number.

Alternate UL Mark

The Listing Mark of UL on the product, or the UL symbol on the product and the Listing Mark on the smallest unit container in which the product is packaged is the only method provided by UL to identify products manufactured under its Listing and Follow-Up Service. The Listing Mark for these products includes the UL symbol (as illustrated in the Introduction of this Directory) together with the word "LISTED," a control number or file number, and one of the following category identifiers: "UL 1950," "UL 60950," "UL 60950-1," "Information Technology Equipment" (or "Info. Tech. Equip.," "I.T.E." or "ITE"), "NWGQ," or the standard number with or without the "ANSI/UL" prefix (e.g., "ANSI/UL 60950-1," "60950-1"). The Listing Mark may also include one of the following product names: "Copier," "Modem," "Paper Shredder," "Personal Computer," "Cordless Telephone," or other appropriate product name as shown in the individual Listings.

The category identifier for field-installed accessories includes the word "Accessory."

* * * * *

UL, in performing its functions in accordance with its objectives, does not assume or undertake to discharge any responsibility of the manufacturer or any other party. UL shall not incur any obligation or liability for any loss, expense or damages, including incidental or consequential damages, arising out of or in connection with the use, interpretation of, or reliance upon this Guide Information.

Last Updated on 2020-06-03

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2021 UL LLC"